

Final Rule: Legacy CCR Surface Impoundments Timeline

Task Name	Duration	Start	Finish	Half 2, 2024	Half 1, 2025	Half 2, 2025	Half 1, 2026	Half 2, 2026	Half 1, 2027	Half 2, 2027	Half 1, 2028
Final Compliance Time Frames for Legacy CCR Surface Impoundments	48.55 mons?	Mon 8/19/24	Mon 5/8/28								
Applicability	3 mons	Mon 8/19/24	Fri 11/8/24								
Applicability report/documentation for the legacy CCR surface impoundment.	3 mons	Mon 8/19/24	Fri 11/8/24								
Applicability Extension Report	3 mons	Mon 8/19/24	Fri 11/8/24								
Recordkeeping and Internet Posting	47.5 mons	Tue 9/17/24	Mon 5/8/28								
Establish CCR website.	2 mons	Tue 9/17/24	Sat 11/9/24								
Maintain the operating record and website postings	45.55 mons	Mon 11/11/24	Mon 5/8/28								
Operating Criteria	48.5 mons	Mon 8/19/24	Fri 5/5/28								
Prepare fugitive dust control plan.	3 mons	Mon 8/19/24	Fri 11/8/24								
Initiate weekly inspections of the CCR unit and monthly monitoring of CCR unit instrumentation.	2 mons	Mon 9/16/24	Fri 11/8/24								
Perform weekly inspections of the CCR unit	45.3 mons	Fri 11/15/24	Fri 5/5/28								
Perform monthly inspections of CCR unit instrumentation	44.55 mons	Fri 12/6/24	Fri 5/5/28								
Implement site security measures.	1 mon	Mon 10/14/24	Fri 11/8/24								
Complete the initial annual inspection of the CCR unit.	3 mons	Tue 11/19/24	Mon 2/10/25								
Complete subsequent annual inspections of the CCR unit	16.25 mons	Tue 11/17/26	Mon 2/14/28								
Complete subsequent annual inspections of the CCR unit 1	3 mons	Tue 11/17/26	Mon 2/8/27								
Complete subsequent annual inspections of the CCR unit 2	3 mons	Tue 11/23/27	Mon 2/14/28								
Prepare initial annual fugitive dust control report.	3 mons	Fri 10/17/25	Thu 1/8/26								
Complete subsequent annual fugitive dust control reports	16.25 mons	Mon 10/12/26	Fri 1/7/28								
Complete subsequent annual fugitive dust control reports 1	3 mons	Mon 10/12/26	Fri 1/1/27								
Complete subsequent annual fugitive dust control reports 2	3 mons	Mon 10/18/27	Fri 1/7/28								
Complete initial inflow design flood control system plan.	6 mons	Mon 11/24/25	Fri 5/8/26								
Design Criteria	18.35 mons	Thu 12/12/24	Fri 5/8/26								
Install permanent marker.	1 mon	Thu 12/12/24	Wed 1/8/25								
Compile history of construction.	6 mons	Tue 8/26/25	Mon 2/9/26								
Complete initial hazard potential classification assessment, initial structural stability assessment, and initial safety factor assessment.	6 mons	Mon 11/24/25	Fri 5/8/26								
Prepare emergency action plan.	3 mons	Mon 2/16/26	Fri 5/8/26								
Groundwater Monitoring and Corrective Action	27.25 mons	Tue 4/8/25	Mon 5/10/27								
Develop the groundwater sampling and analysis program.	3.3 mons	Tue 4/8/25	Tue 7/8/25								
Install the groundwater monitoring system.	3.3 mons	Tue 4/8/25	Tue 7/8/25								
Initiate detection monitoring and assessment monitoring.	24 mons	Tue 7/8/25	Mon 5/10/27								
Begin evaluating groundwater monitoring data for statistically significant increase (SSI) over background levels and statistically significant levels (SSL) over groundwater protection standards (GWPS).	3 mons	Tue 2/16/27	Mon 5/10/27								
Complete initial annual GWMCA report.	3 mons	Tue 11/10/26	Sun 1/31/27								
Closure and Post-Closure Care	9.5 mons	Tue 8/17/27	Mon 5/8/28								
Prepare written closure plan and post-closure care plan.	3 mons	Tue 8/17/27	Mon 11/8/27								
Initiate closure.	6 mons	Tue 11/23/27	Mon 5/8/28								

■ Timeline
 ■ Applicability
 ■ Recordkeeping
 ■ OperatingCriteria
 ■ DesignCriteria
 ■ Groundwater
 ■ Closure